

FineVu DASH CAM

LX500

THE NEW
STANDARD FOR DASH CAMS
EXPERIENCE FULL PROTECTION FOR YOUR CAR.



2CH 1920x1080 Full HD - 1280x720 HD
3.5" 480x320 TFT LCD with touch
Auto Night Vision
Road Safety Warning System
(ADAS - LDWS, FCWS, FVMA)
Format Free Max

Secret Mode
G-Sensor Incident Detection
High Temperature Protection
Battery Discharge Prevention
PC Viewer



Full HD



Full
Touch LCD



AUTO
NIGHT VISION



ADAS PLUS
Safety Warning



Format Free
Max



Anti-Reboot
Function



Secret Mode



Battery Discharge
Prevention

KEY FEATURES




FULL HD Resolution

Full HD (1920x1080p) records accurate video at 30 frame per seconds without dropping a single frame.



Auto Night Vision

Automatically turn and enhance video quality brighter at night and clearer at daytime.



ADAS PLUS

Front Vehicle Motion Alert, Forward Collision and Lane Departure Warning System lower the risk of accidents by warning the driver of impending road hazards



Anti-Reboot Function

Seamlessly records without re-booting when you start engine. Even an accident occurred just after starting vehicle cannot be missed.



Secret Mode

Protect your important video proof with password, only you can access to dash cam by secret mode.




3.5" Full Touch LCD

Get an instant video playback, ADAS warnings and change settings on high resolution LCD screen.



Format Free Max

The most advanced format free technology eliminates the need for manual reformatting of memory card, extending memory card life and improving reliability.



High Temperature Protection

Protect system and recorded video by stopping recording automatically when the vehicle's internal temperature is over certain temperature.

SPECIFICATIONS

Resolution	Front : Full HD 1920x1080 @30fps	Rear : HD 1280x720 @30fps
Image sensor	Front : 2M pixels CMOS Image Sensor	Rear : 1M pixels CMOS Image Sensor
Viewing angle	Front : 139°	Rear : 126°
Video/Audio	Video : H.264, Audio : PCM	
Capacity	Micro SD Card (16G/32G), MLC, Class10 or above recommended.	
Display	3.5" TFT LCD (480 x 320) with touch	
Recording modes	Driving recording, Driving event recording, Emergency recording, Parking (impact or motion detection) recording	
Input Voltage	DC 12 - 24V	
Temperature	Operation Temperature : -10℃ ~ 60℃, Storage Temperature : -20℃ ~ 70℃	
Dimension / Weight	Front : 104 x 64 x 29mm / 104g	Rear : 52 x 24 x 33mm / 23g

FINE DIGITAL FINEDIGITAL Inc. www.finevu.com

8th Floor, Fine Venture Bldg., 41, Seongnam-daero 925 beon-gil, Bundang-gu, Seongnam-si, Gyeonggi-do, 463-828 Rep. of KOREA

JY NETWORKS PTY LTD. - Authorized distributor of FineVu Dash Cams PO Box 4200 Narre Warren South VIC 3805 Australia

✉ support@finedigital.com ☎ 03-9099-0983